

# Velvet

## UNDERGLAZES

*for a vivid underglaze palette*



Conforms to  
ASTM D-4236



Layering



Dinnerware Safe



Safe for Spray  
Application



V-308  
Yellow



V-391  
Intense Yellow



V-309  
Deep Yellow



V-350  
Orange



V-304  
Straw



V-389  
Flame Orange



V-390  
Bright Orange



V-384  
Real Orange



V-387  
Bright Red



V-383  
Light Red



V-388  
Radiant Red



V-316  
Light Pink



V-382  
Red



V-374  
Royal Peach



V-323  
Salmon



PICK OUT THE  
TROMPE L'OEIL  
DONUT

Donut: V-326 Medium Blue, V-387 Bright Red, V-360 White, and V-314 Chocolate Brown on AMACO® 20-M Versa Clay




V-315  
Peach



V-371  
Rosy Mauve



V-318  
Rose



V-321  
Lilac




V-380  
Violet



V-375  
Maroon




V-320  
Lavender



V-322  
Purple



V-381  
Amethyst



V-325  
Baby Blue



V-326  
Medium Blue



V-386  
Electric Blue



V-332  
Teal Blue



V-336  
Royal Blue



FIRING KEY

\* Approved when applied and fired under AMACO® LG-10, F-10, or HF-9 clear glazes

Cone 05 tiles are on AMACO® 25 White Art Clay and Cone 5/10 tiles are on AMACO® 38 White Stoneware





# Velvet

UNDERGLAZES



V-343  
Chartreuse



V-327  
Turquoise Blue



V-328  
Iceberg Blue



V-356  
Pearl Gray



V-367  
Mist Gray



V-372  
Mint Green



V-345  
Light Green



V-354  
Leaf Green



V-341  
Blue Green



V-376  
Hunter Green



V-353  
Dark Green




V-333  
Avocado




V-357  
Dark Gray




V-355  
Shadow Green



V-303  
Terra Cotta



V-361  
Jet Black



V-370  
Velour Black



V-385  
Cinnamon



V-313  
Red Brown



V-314  
Chocolate Brown





V-366  
Teddy Bear Brown



V-373  
Medium Brown



V-302  
Beige




V-310  
Tan



V-369  
Fawn



V-334  
Flaxen



V-368  
Antique Ivory



V-301  
Ivory Beige



V-360  
White



Bank: V-387 Bright Red, V-355 Shadow Green,  
V-327 Turquoise Blue, V-308 Yellow, V-360 White,  
V-370 Velour Black on AMACO® 20-M Versa Clay



\* Approved when applied and fired under  
AMACO® LG-10, F-10, or HF-9 clear glazes



FIRING KEY